

**GOVERNMENT OF INDIA  
MINISTRY OF TEXTILES  
OFFICE OF THE DEVELOPMENT COMMISSIONER (HANDLOOMS)  
WEAVERS SERVICE CENTRE,  
F/4, Industrial Estate, Pologround,  
Indore- 452015, Madhya Pradesh  
Tel: 0731-2421501**

E-mail: [wscind@gmail.com](mailto:wscind@gmail.com), [wscind@mp.gov.in](mailto:wscind@mp.gov.in)

**NOTICE INVITING E-TENDER**

**Tender Notice No.: WSCI/TECH/eproc/2024-25/1**

**Inviting Expression of Interests (EoIs) for Empanelment of Suppliers for supply of various Handlooms and handloom accessories to the weavers under Hathkargha Samvardhan Sahayata at Khargone, Ashoknagar, Rajgarh, Sagar, Sidhi, Mandla, Dindori, Mandsaur, etc districts of Madhya Pradesh state under National Handloom Development Programme (NHDP) through the CPP Portal.**

**Handlooms and Handloom accessories**

For the beneficiaries of various Handloom Pockets of Madhya Pradesh State in the Outside Cluster Development Programme (CDP) scheme, a component under National Handloom Development Programme (NHDP) through the CPP Portal  
[www.eprocure.gov.in/eprocure/app](http://www.eprocure.gov.in/eprocure/app).

-----  
For any technical related queries in uploading tender, contact through the CPP Portal  
<https://eprocure.gov.in/eprocure/app>

CPP Portal Help Desk No.: 0120-4001 002, 0120-4001 005, 0120- 4493395

**GOVERNMENT OF INDIA  
MINISTRY OF TEXTILES  
OFFICE OF THE DEVELOPMENT COMMISSIONER FOR HANDLOOMS  
WEAVERS' SERVICE CENTRE (WSC)**

F/4, Industrial Estate, Pologround,  
Indore- 452015, Madhya Pradesh

Tel: 0731-2421501 E-mail: [wscind@gmail.com](mailto:wscind@gmail.com), [wscind@mp.gov.in](mailto:wscind@mp.gov.in)

NOTICE INVITING E-TENDER

**Tender Notice No.: WSCI/TECH/eproc/2024-25/1**

**Sub:** Inviting **Expression of Interest (Eoi)** under two bid Tender system (Technical and Financial bid) from the reputed entities by the Head of Office, Weavers' Service Centre, Indore, a subordinate office under the Office of the Development Commissioner for Handlooms for empanelment of suppliers for supply of following items:

**1. Handlooms and Handloom accessories.**

For the beneficiaries of various Handloom Pockets of Madhya Pradesh State in the Outside Cluster Development Programme (CDP) scheme, a component of National Handloom Development Programme (NHDP) through the CPP Portal [www.eprocure.gov.in/eprocure/app](http://www.eprocure.gov.in/eprocure/app) Weavers Service Centre (WSC), Indore O/o Development Commissioner for Handlooms, Ministry of Textiles, Government of India, invites online bids from the interested entities/agencies through two bid system (Technical and Financial) for empanelment of suppliers for supply of items mentioned at Annexure-I for the beneficiaries of various Handloom Pockets of Madhya Pradesh State in the Outside Cluster Development Programme (CDP) scheme, a component under National Handloom Development Programme (NHDP).

1. The tender document may be downloaded from the CPP portal <https://eprocure.gov.in/eprocure/app> . But online bids must be submitted through CPP Portal [www.eprocure.gov.in/eprocure/app](http://www.eprocure.gov.in/eprocure/app). Offline/Manual bids will not be accepted. Bidders are advised to follow the instructions provided in the enclosed (RFP). THE CRITICAL DATE SHEET is as under.

<b>CRITICAL DATES</b>		
1.	Publishing Date	19/07/2024 at 15:00 Hrs
2.	Document Download Starting Date and Time	19/07/2024 at 16:00 Hrs.
3.	Bid Submission Starting Date and Time	20/07/2024 at 09:00 Hrs.
4.	Bid Submission End Date and Time	09/08/2024 at 18:00 Hrs.
5.	Fee/Technical Bid Opening Date & Time	10/08/2024 at 11.00 Hrs.
6.	Financial Bid Opening Date and Time	Will be intimated after evaluation of Technical Bid.

2. Bid documents may be scanned with **150 dpi with color option (should be legible)** which helps in reducing size of the scanned document. **All the bid documents may be scanned followed by page by page into a single PDF file.**
3. Bidders shall not tamper/modify the tender, including downloaded financial bid template in any manner. In case, if the same is found to be tampered/modified in any manner, tender will be completely rejected and EMD would be forfeited and bidder will be blacklisted from doing any business with WSC, Indore.
4. Bidders are advised to visit the websites of [www.handlooms.nic.in](http://www.handlooms.nic.in) and CPP portal ([www.eprocure.gov.in/eprocure/app](http://www.eprocure.gov.in/eprocure/app)) regularly till closing date of submission of tender for any corrigendum/addendum/amendment.
5. **EMD (Earnest Money Deposit):** As detailed in RFP.
6. **List of items:** The detailed list of items proposed to be purchased through this tender with specifications are specified at **Annexure-I of the RFP** enclosed.
7. **List of documents to be attached with bids:** Details are given in the RFP enclosed.

8. **Submission of bids:** Details are given in the RFP enclosed.
9. **Opening and Evaluation of bids:** Details are given in the RFP enclosed.
10. **Modification and Withdrawal of Bids.**
  - (a) The Bidder may modify (resubmit) bid after submission, as per the provisions available in the portal. No bid shall be modified after the deadline for submission of bids.
  - (b) If bidder desires to withdraw before bid submission closing date/time, he may do so online in the portal and offline EMD would be refunded. Once withdrawn online, he cannot participate again in this tender.
  - (c) No bid may be withdrawn in the interval between the deadline for submission of bids and expiry of the period of the specified bid validity. Withdrawal of a bid during this period will result in forfeiture of Bidder's Bid Security/EMD.

## **REQUEST FOR PROPOSAL (RFP)**

**Ref: Tender Notice No.: WSCI/TECH/eproc/2024-25/1**

Expression of Interest (Eoi) are invited under two bid Tender system (Technical and Financial bid) from the reputed entities by the Head of Office, Weavers' Service Centre, Indore, a subordinate office under the Office of the Development Commissioner for Handlooms for empanelment of suppliers for supply of following items:

### **1. Handlooms and Handloom accessories**

**For the beneficiaries of various Handloom Pockets of Madhya Pradesh State in the Outside Cluster Development Programme (CDP) scheme, a component under National Handloom Development Programme (NHDP).**

#### **1. Background**

The handloom sector is the second largest employer in India. This sector is unorganized and dispersed. On the National Handloom Day Celebrated in Varanasi on 7<sup>th</sup> August 2016, the Hon'ble Minister of Textiles, announced "Hathkargha Samvardhan Sahayata (HSS) scheme" to provide financial assistance to handloom weavers for technological up-gradation of looms & accessories, so as to improve quality of the fabric and enhance productivity in handloom pockets. Govt. of India will provide financial assistance to the extent of 90% of the cost of loom/accessories and remaining 10% will be borne by the beneficiaries. Revised Guidelines of HSS are available in the website of Office of the Development Commissioner for Handlooms [www.handlooms.nic.in](http://www.handlooms.nic.in)

#### **2. Empanelment of suppliers**

For supply of identified items as per **Annexure-I**, Expression of Interest (Eoi) are invited from interested entities manufacturing these items.

#### **3. Scope of Work**

For empanelment of suppliers for supply of specified items to the beneficiaries of various Handloom Pockets of Madhya Pradesh State in the Outside Cluster Development Programme (CDP) scheme, a component under National Handloom Development Programme (NHDP), as per the specifications mentioned in the RFP and supply within 30 days of receipt of supply order. Supplier shall ensure delivery & installation of items with prior intimation to the Outside CDP Clusters mentioned in the RFP and as mentioned in the purchase order.

#### **4. Specifications of Items**

- The items to be supplied should be new, of good quality and comply with the parts specifications and quality norms as attached in Annexure-I. A sample of each item along with Photographs/Catalogues/specification clearly describing the items are to be submitted to the Weavers' Service Centre, Indore before closing date of submission of bids.
- Supplier needs to stamp/emboss/engrave all items supplied by him with a unique code for identification which will be conveyed to him while placing the Purchase Order. Quality of item will be checked by consignee at the time of taking delivery and has to fulfill the consignee's satisfaction.
- Any deviations found from approved specifications and quality of the items supplied will result in cancellation of the order and the supplier may be asked to take back the material at his own cost.
- All items should carry a warranty of one year against any manufacturing defects from date of Installation/ Commissioning.

#### **5. Eligibility Criteria for submission of Eoi.**

- a) The Supplying entity should be a registered entity/agency (MSME/UDYAM/DIC/NSIC etc.).
- b) The entity/agency must have GST registration.
- c) The Supplying entity should have minimum three years' experience in manufacturing/supplying the items for which bids are submitted for last 3 years i.e 2021-22, 2022-23 and 2023-24. (In case of startups who are registered with MSME, this condition may be relaxed subject to meeting of quality and technical specifications).

#### **6. Information to the Bidders on E-tendering**

- a) Online bids must be submitted through CPP Portal [www.eprocure.gov.in/eprocure/app](http://www.eprocure.gov.in/eprocure/app). Offline/Manual bids will not be accepted.

- b) Detailed Process to Registration/Search/Preparation/Submission of the tender through the following process:

The bidders are required to submit soft copies of their bids electronically on the CPP portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP portal. More information useful for submitting online bids on the CPP portal may be obtained at <http://eprocure.gov.in/eprocure/app>.

#### **Registration:**

- i. Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: <http://eprocure.gov.in/eprocure/app>) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- ii. As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- iii. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- iv. Upon enrolment, the bidders will be required to register their valid digital Signature Certificate (DSC) (Class II or class III Certificates with signing key usage) issued by any certifying Authority recognized by CCA India (details are available on the CPP portal) with their profile.
- v. Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- vi. Bidder then logs in to the site through the secured log-in by entering their user ID/Password and the password of the DSC/ e-Token.

#### **Searching of Tender Documents:**

- i. There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value etc. There is also an option of advanced search for tenders, where in the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- ii. Once the bidders have selected the tenders they are interested in, they may download the required documents/ tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS/email in case there is any corrigendum issued to the tender document.
- iii. The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification/ help from the Helpdesk.

#### **Preparation of Bids**

- i. Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- ii. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- iii. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document /schedule and generally, they can be in PDF/ XLS

/ RAR / DWF/JPG formats. Bid documents may be **scanned with 150 dpi with color option (should be legible)** which helps in reducing size of the scanned document.

iv. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN Card copy, audited balance sheet, GST registration, etc.) has been provided to the bidders. Bidders can use “My Space” or “Other important Documents” area available to them to upload such documents. These documents may be directly submitted from the “My Space” area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

### **Submission of Bids**

- i. Bidder should log into the site well in advance for bid submission so that he/she can upload the bid in time. i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- ii. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- iii. The bidder has to select the payment option as “offline” to pay the EMD as applicable and enter details of the instrument.

The Bidder should prepare the Bid Security/EMD in the form of Insurance Surety Bonds, Accounts Payee Demand Draft in favor of “The Deputy Director, Weavers Service Centre” payable at Indore, Fixed Deposit Receipt, Banker’s Cheque or Bank Guarantee (including e-Bank Guarantee) from any of the commercial Banks. The original should reach to “**The Head of Office, Weavers' Service Centre, F/4, Industrial estate, Pologround, Indore-452015 (M.P.)**” latest by the closing date and time of submission of bids. Otherwise, the uploaded bid will be rejected.

**Or**

Micro and Small Enterprises registered for stores specified in the tender are **exempted from payment of earnest money** only on the submission of MSME registration certificates as applicable. However, they have to submit Bid Security Declaration. This exemption is valid only if the Bidders declare his UAM Number while furnishing the details in the Annexure-III (Details of Supplier) and on submission of a proof of Udyam Registration number.

- iv. A standard Bill of Quantity (BoQ) format for financial bid has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the BoQ format provided and no other format is acceptable. Bidders are requested to download the BoQ file, open it and complete the colored (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the file name. If the BoQ file is found to be modified by the bidder, the bid will be rejected.
- v. The server time (which is displayed on the bidder’s dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- vi. All the documents being submitted by the bidders would be encrypted to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening.
- vii. The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- viii. Upon the successful and timely submission of bids (i.e. after clicking “Freeze Bid Submission” in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- ix. The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass by the bidder or his authorized signatory or his authorized representative (the authorized representative must carry the authorization letter signed by the bidder or his authorized signatory) for any bid opening meetings.

**The on-line bids both Technical Bid and Financial bid duly furnished in COVER-I & COVER- II respectively should be uploaded by the due date and time as per the schedule given in Critical Date Sheet. Tenders should not be submitted offline.**

However, the bidder should submit the following **before the closing date of bid submission**

1. Bid Security Deposit/EMD or Declaration of Bid Security Deposit (in case of MSME registered) in lieu of EMD and
2. A sample of item of each item along with Photographs/Catalogues/specification clearly describing the items are to be submitted to the Weavers' Service Centre, Indore before closing date of submission of bids.

#### **7. Documents to be Attached to Cover I (Technical Bid)**

**The scanned copies of the following documents must be uploaded in the technical bid:**

- i. Security Deposit/Earnest Money Deposit (EMD) of Rs.50,000/- ( Rupees Fifty Thousand Only) in the form of Insurance Surety Bonds, Accounts Payee Demand Draft in favor of "The Deputy Director, Weavers Service Centre" payable at Indore, Fixed Deposit Receipt, Banker's Cheque or Bank Guarantee(including e-Bank Guarantee) from any of the commercial Banks. Insurance Surety Bonds, Fixed Deposit Receipt, Bankers's Cheque or Bank Guarantee should be valid for a period of minimum 150 days from the last date of submission of the bids (format of Bank Guarantee is given at Annexure-II). The soft copy of the Demand Draft or insurance Surety Bonds or Fixed Deposit Receipt or Banker's Cheque or Bank Guarantee must be uploaded online and **Original Hard Copy of the Bid Security declaration must be submitted to "The Head of Office, Weavers' Service Centre, F/4, Industrial estate, Pologround, Indore-452015 (M.P.)" on or before the closing date.** In case of MSME registered bidders, format of Bid Security declaration is given at **Annexure-II** for exemption of EMD. The soft copy of the Bid Security declaration must be uploaded online and **Original Hard Copy of the Bid Security declaration must be submitted to The Head of Office, Weavers' Service Centre, F/4, Industrial estate, Pologround, Indore-452015 (M.P.) on or before the closing date.**

**The MSEs are exempted from Bid Security deposition, Subject to furnishing of relevant valid certificate for claiming exemption.**

- (Micro and Small Enterprises (MSE) must, along with their offer, provide proof of their being registered as MSE (indicating the terminal validity date of their registration) item tendered, with any agency mentioned in the notification of the Ministry of Micro, Small and Medium Enterprises (Ministry of MSME), indicated
- a) District Industries Centres,
  - b) Khadi and Village Industries Commission, c) Khadi and Village Industries Board, d) Coir Board, e) National Small Industries Corporation, f) Head of Officiate of Handicraft and Handloom and g) Any other body specified by the Ministry of MSME as per the guidelines provided under the Manual for procurement of Goods 2017.
- ii. Copy of the Registration Certificate of the Entity.
  - iii. Copy of the valid GST Registration certificate of the Entity.
  - iv. Copy of the PAN card of the Entity.
  - v. Copy of **audited** Balance sheet and Profit and Loss account of last 3 years (2020-21, 2021-22 and 2022-23) **audited by the Chartered Accountant.**
  - vi. Copy of Income tax returns filed for the last 3 Assessment years (2021-22, 2022-23 and 2023-24)
  - vii. Scanned copies Photographs/drawings/catalogues/specifications describing the items clearly in respect of the items for which the bid is submitted.

**(Please note that hard copies of these documents should also be submitted physically to the Head of Office, Weavers' Service Centre, Indore on or before the closing date of submission of bids.)**

- viii. Copy of supply orders or proof of their execution (Order completion certificate) by the entity for supply of the items for which bid is submitted for the last 3 years, ending 31st March (2021-22 to 2023-24)
- ix. Details of the Supplier in **Annexure III** duly signed by the Authorized Signatory. The bidder should note that items (proposed to be supplied) must be selected only from the list of items mentioned in **Annexure I**.
- x. Acceptance Letter of RFP in **Annexure-IV** duly signed as a token of acceptance.
- xi. Power of attorney for the authorized signatory duly signed by the proprietor of the entity in **Annexure V**.
- xii. Undertaking for the non-blacklisting duly signed in **Annexure VI**
- xiii. Bank account details in Bank mandate form (duly signed by the account holder and Bank authorities) in **Annexure VII**.

**Note:**

1. **In case the bidder fails to submit any of the documents, the other part of their tender i.e. 'COVER-II' shall not be considered for further download and shall be rejected straightway without any further reference. The Technical Bids and other documents i.e. 'COVER-I' will be downloaded and evaluated at the first stage to select the technically capable and competent bidders. At the second stage, Financial/Price Bid i.e. COVER-II of only the technically accepted offers will be downloaded and evaluated further. After opening of COVER-I, if all the Bids are found technically unacceptable, the Financial (Price Bid) i.e. COVER-II submitted by the bidders against this tender shall not be opened/downloaded for obvious reasons.**

**8. Documents to be submitted in Cover II (Financial Bid)**

Schedule of Price Bid in the form of attached Bill of Quantity (BoQ). The Proforma provided in the CPP Portal must be downloaded and filled in and digitally signed and uploaded online by the bidder.

**9. Assistance to Bidders**

- Any queries relating to the tender document and the terms and conditions contained therein should be addressed to The Head of Office, WEAVERS' SERVICE CENTRE (WSC), F/4, Industrial Estate, Pologround, Indore- 452015, Madhya Pradesh.
- Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24 x 7 CPP Portal Helpdesk. The contact number for the helpdesk is 0120-4001 002, 0120-4001 005, 0120- 4493395.

**10. Process/Evaluation of bids**

**a) Technical Bids**

- i) Only those Bids will be evaluated which are found to be fulfilling all the eligibility and qualifying requirements of the RFP.
- ii) Technical Bids will be opened and evaluated by the Evaluation Committee. The committee will evaluate the suitability of the items for which they submitted, the bid based on the evaluation of documents, specifications and details submitted.
- iii) The Evaluation Committee report finalizing the technically eligible bidders based on the study of the documents and the suitability of the product will be published through the CPP portal within a reasonable time.
- iv) Date of opening Financial Bids will also be informed through CPP portal and bidders are also informed through e-mail/telephone.

**b) Financial/Price Bids**

- i) Only Financial bids pertaining to the technically eligible bidders will be considered for opening and evaluation by the committee.



- ii) The bidders, who have quoted the lowest price for specific items, will be declared L1 for that particular item. Thereby there may be different L1 for different items.
- iii) The bidder who quoted the lowest price for an item will be declared as L1 if the price quoted by him is found reasonable. If it is found not reasonable, negotiation with the L1 party may be carried out, and the price of the item will be fixed accordingly. If it is found that quantities of the materials/items are more and to be supplied at a short notice and to give wider choice in respect of different handloom pockets, other eligible bidders may also be counter offered to supply of the materials/items at the above fixed price by the Tender Evaluation Committee. If some/all of the eligible bidders accept to supply at the above price, then those parties who have accepted for supply of the materials/items, may also be considered for empanelment along with the L1 party and the L1 party should not have any objection for the above condition as this is only for empanelment of suppliers. In such cases the Procuring Entity reserves the right to split the contract quantity between suppliers.
- iv) **In financial bid, prices quoted need to be inclusive of all costs, including transportation of items to beneficiary's premises, satisfactory installation/fitting of items etc.**
- v) The Evaluation Committee reserves the right to accept/reject any bid without assigning any reason.
- vi) The decision of the Evaluation committee shall be final and binding on all the bidders.

#### **11. Delivery, Installation of Items and Payment**

- i. **After the empanelment, the suppliers shall have to exhibit and demonstrate the items, on their own cost, in the camps to be conducted by the WSC, Indore in various handloom clusters.**  
The selected Handloom Weavers, after inspection of the exhibited/demonstrated items from the empaneled suppliers, shall choose their preferred item and pay 10% of the cost of the item preferably through RTGS/NEFT/UPI etc. to the supplier.
- ii. WSC, Indore shall consolidate the supply order and place order with the supplier. Supply order shall contain details of the weavers i.e. name, address, mobile number, name of the item(s) to be supplied with specification and cost, time limit for the delivery etc.
- iii. WSC, Indore shall **send** the list of beneficiaries who have placed the supply order in prescribed format to the office of DC (Handlooms). Based on the details received from the WSC, Indore, Office of DC (Handlooms) shall place 90% of the Gol share with WSC concerned as budgetary provision.
- iv. In accordance with the **supply** order and delivery schedule, supplier shall ensure delivery and installation of items, as per the specification and quality in the RFP, with prior intimation to the beneficiaries through SMS etc. within 1 month of depositing their 10% contribution under intimation to the WSC, Indore. On being satisfied with the performance of the looms/accessories, the weaver will inform the WSC, Indore for inspection within 7 days.
- v. Quality and physical **verification** of the items supplied shall be done jointly by the officials of the WSC, Indore, the NHDC and Local Handloom Office in presence of the supplier and the weaver.
- vi. If it is noticed that the item(s) supplied do not confirm to the specifications and quality as per RFP, the WSC, Indore shall have the right to reject the item(s) in part or full. The supplier shall be liable to replace the rejected item(s) within the stipulated time. Till the replacement is done, the rejected materials shall be lying at the risk, cost and responsibility of the supplier.
- vii. Balance 90% will be transferred **to** the supplier's bank account by the WSC, Indore after satisfactory verification report.
- viii. Before supplying the items, the **supplier** must ensure to put identification marks as well as word HSS with the items name and respective scheme.

## **12. Warranty**

One year from the date of installation of items. The supplier shall be liable to replace the items supplied or repair any defects within the warranty period free of cost.

## **13. Performance Security**

The Supplier will be required to deposit Performance Security for an amount of 5% of the value of the order in the form of Insurance Surety Bonds, Accounts Payee Demand Draft in favor of "The Deputy Director, Weavers Service Centre" payable at Indore, Fixed Deposit Receipt, Banker's Cheque or Bank Guarantee (including e-Bank Guarantee) from any of the commercial Banks with a validity of minimum one year from the date of issue. The same will be returned to the supplier within 12 months after completion of all contractual obligations of the supplier including Warranty obligations. Format of the Bank Guarantee will be supplied along with the purchase order.

## **14. Other Terms and Conditions**

- i. In financial bid, prices quoted need to be inclusive of all costs, including transportation, installation, taxes, duties etc. The amount of taxes applicable should be clearly mentioned separately.
- ii. The prices quoted should be valid for minimum Two years with a provision for extending the same for Third year by the WSC, Indore, subject to consent of the suppliers and satisfactory performance.
- iii. Confidentiality of the data provided by the Weavers' Service Centre, Indore should be maintained.
- iv. Supplier shall ensure training to the concerned Staff/Official for operation of the Machine/ Equipment.
- v. There may be slight modifications of specification of Frame loom/Pit loom and other handloom accessories and solar lighting unit based on requirement of the beneficiaries of the concerned handloom pockets of Silk/Cotton belt.

## **15. Rights of Weavers' Service Centre (WSC)**

- WSC, Indore reserves the right to accept/reject any or all bids received without assigning any reason whatsoever or may call for any additional information/clarification, if so required.
- WSC, Indore reserves the right to amend or add the terms and conditions of the tender through corrigendum/addendum till the closing date and time of submission of bids on its own or in response to the clarification of the prospective bidders and these will be binding on all the bidders.

## **16. Agreement Cancellation**

- i. In the event of supplier willfully/otherwise not supplying the items within 30 days after placing the supply order, Weavers' Service Centre, Indore at its sole discretion shall cancel this agreement in writing and forfeit the value of items already supplied, along with suitable penalty and action will be taken against the supplier.
- ii. If any information furnished by the supplier is found to be incorrect /untrue or terms and conditions are violated, then the WSC, Indore shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.

## **17. Court Jurisdiction**

This shall be subject to the exclusive jurisdiction of courts at Indore, Madhya Pradesh state.

## **18. Force Majeure**

Should any Force Majeure circumstance arise, each of the contracting party shall be excused for the non-fulfilling or for the delayed fulfillment of any of its contractual obligations, if the affected party within 15 days of its concurrence inform the other party in writing.

Force majeure shall mean fire, flood, natural calamities or any other acts as war, turmoil strikes (as not limited to the establishment of the seller), sabotage, and explosion and quarantine restrictions beyond the control of either party.

## **19. Miscellaneous**

In case of any further clarification or information, following may be contacted:

The Head of Office, WEAVERS' SERVICE CENTRE, F/4, Industrial Estate, Pologround, Indore-452015, Madhya Pradesh., Tel: 0731-2421501, e-mail: [wscind@mp.gov.in](mailto:wscind@mp.gov.in), wscind@gmail.com.

## **20. Arbitration & Reconciliation Act**

In event of any dispute or difference between the parties here to, such disputes or differences shall be resolved amicably by mutual consultation. If such resolution is not possible then the unresolved dispute or difference shall be referred to arbitration of the sole arbitrator to be appointed by the Development Commissioner (Handlooms), Ministry of Textiles, New Delhi. The provisions of Arbitration and Conciliation Act, 1996 (no.26 of 1996) shall be applicable to the arbitration under this clause. The venue of such arbitration shall be at Delhi or any other place, as may be decided by the arbitrator. The language of arbitration proceedings shall be final and binding on the parties. The expenses incurred by each party in connection with the preparation, presentation shall be borne by the party itself.

Pending the submission of and/ or decision on a dispute, difference or claim or until the arbitral award is published; the parties shall continue to perform all of their obligations under this agreement without prejudice to final adjustment in accordance with such award.

## **21. Disclaimer**

- i. Though adequate care has been taken in preparation of this Request for Proposal (RFP) document, the entity submitting bids in response to this TENDER should satisfy itself that the information provided in the RFP document is complete in all respects.
- ii. The Head of Office, Weavers' Service Centre, Indore (Ministry of Textiles, Government of India) does not make any representation or warranty as to the accuracy, reliability or completeness of the information in this Request for Proposal document.
- iii. Neither The Head of Office, Weavers' Service Centre, Indore nor its employees will have any liability to any prospective Agency/supplier/entity or any other person under the law of contract, tort, the principles of restitution or unjust enrichment or otherwise for any loss, expense or damage which may arise from or be incurred or suffered in connection with anything contained in this Request for Proposal document, any matter deemed to form part of this Request for Proposal document, the award of the Assignment, information or any other information supplied by or on behalf of D. C. Handlooms or their employees, to any consultant or otherwise arising in any way from the selection process for the Assignment.
- iv. The Head of Office, Weavers' Service Centre, Indore reserves the right to withhold or withdraw the process at any stage without assigning any reason whatsoever, with intimation to all who submitted the Request for Proposal Application.
- v. The Head of Office, Weavers' Service Centre, Indore, reserves the right, without any obligation or liability, to accept or reject any or all the bids at any stage of the process, to cancel or modify the process or change/modify/amend any or all provisions of this Request for Proposal Document, at any time, without assigning any reason whatsoever.

**LIST/SPECIFICATIONS OF ITEMS REQUIRED**

Ref:Tender Notice No.: WSCI/TECH/eproc/2024-25/1

**1. Handlooms and Handloom accessories**

Sl. No	Handlooms/Accessories/ Equipment	Specification with material Details
1.01	56" REED SPACE WOODEN FRAME LOOM ALONG WITH REED HEALD (suitable for Jacquard mounting)- Complete set for operating Minimum 04 No. treadles.	Frame Details
		Vertical Poles- 4" x 4"x 6' to 6.5'(Sajha/seasoned wood)
		Horizontal Cross Bars- 3" x 2" x 6'to 6.5' (Sajha /seasoned wood)
		Side frame bottom cross bars- 3" x 2" x 5' to 6' (Sajha /seasoned wood)
		Side frame top cross bars -3" x 2" x 5' to 6' (Sajha /seasoned wood)
		Side frame Middle cross bars- 4"x 2"x 6' to 7' (Sajha /seasoned wood)
		Back Rest- 3" x 2.5" x 6' to 6.5' (Sajha /seasoned wood)
		Treadles- 1.5" to 2" x1" to 1.25" x 4.5' to 5' (Sajha /seasoned wood)
		Short lams- 1" to 1.5" x 1" to 1.25" x 4.5' to 5' (Sajha /seasoned wood)
		Lever Stand- Suitable for loom size
		Jack Levers- 1.5" to 2" x 0.75" to 1" x 1.5' to 2' (Sajha /seasoned wood)
		Long Lams-1.5"to 2"x 1.5"to 2" x 5' to 5.5' (Sajha /seasoned wood)
		<u>OR</u>
		2.5" to 3" dia. reversing roller arrangement with ball bearing/bush (Sajha /seasoned wood)
		Treadle Brackets-1.5" to 2" x 1.5" to 2 x 5" x 8" (Sajha /seasoned wood)
		Weavers seat-9" to 10" x 1.5" to 2" x 6' to 7' (Sajha /seasoned wood)
		Heald Shafts-1.5" X 0.5"to 0.75" X 5' to 6' (Sajha /seasoned wood)
		Treadle Cage for 4 to 6 treadles (Sajha /seasoned wood)
		Warp Beam- 3" to 4" dia. Suitable length for loom size
		Cloth Beam – 4" dia. x suitable length for loom size
		Cloth Beam Bracket 3.5 to 4" X3.5" to 4" X 1'
		Warp Beam Bracket 3.5 to 4" X3.5" to 4" X 1'to 1.5'
		Sley Details
		Race Board- 2" to 2.5" x 1.5" to 2" x 56"(Teak Wood)
		Sley Sword- 3.5" to 4" x 0.75" to 1" x 4' (Sajha /seasoned wood)
		Sley holding bar- 2.5" to 3" x 1" to 1.5" x 6.5' to 7'(Teak Wood)
		Sley middle cross bar – 2.5" to 3" x 1" to 1.5" x 56" to 60"(Sajha /seasoned wood)
Reed Cap – 2.5" to 3" x 1.5" to 2" x 56" to 60"(Sajha /seasoned wood)		
Shuttle Boxes- 18" to 22"		
Steel Reed - 60 <sup>S</sup> x 50" OR 76 <sup>S</sup> x 50"		
Heald – Wire Heald of 27G x 9.5" (2000 Nos. ) OR Country Heald (3500Nos.)		
Iron rod for Take-up motion- 16mm to 20 mm dia. x 2'		
1.02	60" REED SPACE WOODEN FRAME LOOM ALONG WITH REED	Frame Details
		Vertical Poles- 4" x 4"x 6' to 6.5' (Sajha/seasoned wood)
		Horizontal Cross Bars- 3" x 2" x 6'to 6.5' (Sajha /seasoned

	HEALD(suitable for Jacquard mounting)- Complete set for operating Minimum 04 No. treadles	<p>wood)</p> <p>Side frame bottom cross bars- 3" x 2" x 5' to 6' (Sajha /seasoned wood)</p> <p>Side frame top cross bars -3" x 2" x 5' to 6' (Sajha /seasoned wood)</p> <p>Side frame Middle cross bars- 4" x 2" x 6' to 7' (Sajha /seasoned wood)</p> <p>Back Rest- 3" x 2.5" x 6' to 6.5' (Sajha /seasoned wood)</p> <p>Treadles- 1.5" to 2" x 1" to 1.25" x 4.5' to 5' (Sajha /seasoned wood)</p> <p>Short lams- 1" to 1.5" x 1" to 1.25" x 4.5' to 5' (Sajha /seasoned wood)</p> <p>Lever Stand- Suitable for loom size Jack Levers- 1.5" to 2" x 0.75" to 1" x 1.5' to 2' (Sajha /seasoned wood) Long Lams 1.5" to 2" x 1.5" to 2" x 5' to 5.5' (Sajha /seasoned wood)</p> <p><u>OR</u> 2.5" to 3" dia. reversing roller arrangement with ball bearing/bush (Sajha /seasoned wood)</p> <p>Treadle Brackets-1.5" to 2" x 1.5" to 2 x 5" to 8" (Sajha /seasoned wood)</p> <p>Weavers seat-9" to 10" x 1.5" to 2" x 6' to 7' (Sajha /seasoned wood)</p> <p>Heald Shafts-1.5" X 0.5"to 0.75" X 5' to 6' (Sajha /seasoned wood)</p> <p>Treadle Cage for 4 to 6 treadles (Sajha /seasoned wood)</p> <p>Warp Beam- 3" to 4" dia. Suitable length for loom size</p> <p>Cloth Beam – 4" dia. x suitable length for loom size</p> <p>Cloth Beam Bracket 3.5" to 4" X3.5" to 4" X 1'</p> <p>Warp Beam Bracket 3.5" to 4" X3.5" to 4" X 1'to 1.5'</p> <p>Sley Details</p> <p>Race Board- 2" to 2.5" x 1.5" to 2" x 60"(Teak Wood)</p> <p>Sley Sword- 3.5" to 4" x 0.75" to 1" x 4' (Sajha /seasoned wood)</p> <p>Sley holding bar- 2.5" to 3" x 1" to 1.5" x 6.5' x 7'(Teak Wood)</p> <p>Sley middle cross bar – 2.5" to 3" x 1" to 1.5" x 60" to 66"(Sajha /seasoned wood)</p> <p>Reed Cap – 2.5" to 3" x 1.5" to 2" x 60" to 66"(Sajha /seasoned wood)</p> <p>Shuttle Boxes- 18" to 22"</p> <p>Steel Reed - 60<sup>s</sup> x 50" OR 76<sup>s</sup> x 50"</p> <p>Heald – Wire Heald of 27G x 9.5" (2000 Nos. ) OR Country Heald (3500Nos.)</p> <p>Iron rod for Take-up motion- 16mm to 20 mm dia. x 2'</p>
1.03	66" REED SPACE WOODEN FRAME LOOM ALONG WITH REED HEALD(suitable for Jacquard mounting)- Complete set for operating Minimum 04 No. treadles	66" REED SPACE WOODEN FRAME LOOM – Sizes of different parts are as above of 60" Wooden Frame Loom proportionately suitable according to 66" reed space wooden frame loom, along with set of Reed and Heald as
1.04	72" REED SPACE WOODEN FRAME LOOM ALONG WITH REED HEALD(suitable for Jacquard mounting)- Complete set for operating	72" REED SPACE WOODEN FRAME LOOM – Sizes of different parts are as above of 60" Wooden Frame Loom proportionately suitable according to 72" reed space wooden frame loom, along with set of Reed and Heald.

	Minimum 04 No. treadles	
1.05	96" REED SPACE WOODEN FRAME LOOM ALONG WITH REED HEALD (suitable for Jacquard mounting)-Complete set for operating Minimum 04 No. treadles	Frame Details
		Vertical Poles- 4" to 4.5" x 4" to 4.5" x 6.5' to 7' (Sajha/seasoned wood)
		Horizontal Cross Bars- 3" x 3" x 9.5' to 10' to 10.5' (Sajha /seasoned wood)
		Side frame bottom cross bars- 3" x 2" x 5' to 5.5' (Sajha /seasoned wood)
		Side frame top cross bars -3" x 2" x 5' to 5.5' (Sajha /seasoned wood)
		Side frame Middle cross bars- 4" x 2" x 6' to 6.5' (Sajha /seasoned wood)
		Back Rest- 3" x 3" x 10' (Sajha /seasoned wood)
		Treadles- 2" x 1.5" x 6.5' (Sajha /seasoned wood)
		Short lams- 2" x 1" x 6.5' (Sajha /seasoned wood)
		Long lams- 2" x 1" x 7' (Sajha /seasoned wood)
		Lever Stand- 3" x 2" x 10.5' (Sajha /seasoned wood)
		Jack Levers- 2" x 1" x 2.5' (Sajha /seasoned wood)
		Treadle Brackets-2" x 2" x 8" (Sajha /seasoned wood)
		Weavers seat-10" x 1.5" x 10' (Sajha /seasoned wood)
		Heald Shafts- 1.5" X 0.75" X 9' (Sajha /seasoned wood)
		Treadle Cage for 4 to 6 treadles (Sajha /seasoned wood)
		Warp beam- 6" dia (Sajha /seasoned wood)/ 4" dia. iron
		Cloth beam – 5" dia (Sajha /seasoned wood)/ 4" dia. iron
		Cloth Beam Bracket 4" X 4" X 1'
		Warp Beam Bracket- 4" X 4" X 1.5'
		Lam stand- 2" X 1" X 2'
		Sley Details
		Race board- 3.5" x 2.5" x 96"(Teak Wood)
		Sley swords- 4" x 1.5" x 5' (Sajha /seasoned wood)
		Sley holding Bar- 3" x 1.5" x 10.5' to 11' (Teak Wood)
		Sley Middle cross bar- 3" x 1.5" x 96" to 102"(Sajha /seasoned wood)
		Reed Cap-3" x 2.5" x 96" to 102"(Sajha /seasoned wood)
		Shuttle box - 22" to 26" (Teak Wood)
		Steel Reed - 60 <sup>S</sup> x 96"
		Heald – Wire Heald of 27G x 13.5" (2000 Nos. )
Iron rod for Take-up motion- 16mm to 20 mm dia. x 2'		
1.06	102" REED SPACE WOODEN FRAME LOOM ALONG WITH REED HEALD (suitable for Jacquard mounting)-Complete set for operating Minimum 04 No. treadles	102" REED SPACE WOODEN FRAME LOOM – Sizes of different parts are as above of 96" Wooden Frame Loom proportionately suitable according to 102" reed space wooden frame loom, along with set of Reed and Heald.
1.07	56" REED SPACE FRAME LOOM WITH HOLLOW IRON FRAME ALONG WITH REED HEALD - (suitable for Jacquard mounting)-Complete set for operating Minimum 04 No. treadles	Frame Details
		Vertical Poles- 3" to 3.5" x 1.5" to 2" x 6' to 6.5'
		Horizontal Cross Bars- 3" x 1" to 1.5" x 6' to 6.5'
		Side frame bottom cross bars- 3" x 1" to 1.5" x 5' to 6'
		Side frame top cross bars - 3" x 1" to 1.5" x 5' to 6'
		Side frame Middle cross bars- 3" x 1" to 1.5" x 6' to 7'
		Back Rest- 1.5" to 2" dia. hollow Round Pipe suitable length for loom size
		Treadles- 1.5" to 2" x 1" to 1.25" x 4.5' to 5' (Sajha /seasoned wood)
		Short lams- 1" to 1.5" x 1" to 1.25" x 4.5' to 5' (Sajha /seasoned wood)

		<p>Lever Stand- Suitable for loom size  Jack Levers- 1.5" to 2" x 0.75" to 1" x 1.5' to 2' (Sajha /seasoned wood)  Long Lams-1.5" to 2" x 1.5" to 2" x 5' to 5.5' (Sajha /seasoned wood)  <u>OR</u>  2.5" to 3" dia. reversing roller arrangement with ball bearing/bush (Sajha /seasoned wood)</p> <p>Treadle Brackets-1.5" to 2" x 1.5" to 2 x 5" x 8" (Sajha /seasoned wood)</p> <p>Weavers seat-9" to 10" x 1.5" to 2" x 6' to 7' (Sajha /seasoned wood)</p> <p>Heald Shafts-1.5" X 0.5 " to 0.75" X 5' to 6' (Sajha /seasoned wood)</p> <p>Treadle Cage for 4 to 6 treadles (Sajha /seasoned wood)</p> <p>Warp Beam- 3" to 4" dia. Suitable for loom size</p> <p>Cloth Beam – 4" dia. x suitable for loom size</p> <p>Cloth Beam Bracket 3.5" to 4' X3.5" to 4" X 1' to 1.5' (Sajha /seasoned wood)</p> <p>Warp Beam Bracket 3.5" to 4" X 3.5" to 4" X 1' to 1.5' (Sajha /seasoned wood)</p> <p>Sley Details</p> <p>Race Board- 2" to 2.5" x 1.5" to 2" x 56"(Teak Wood)</p> <p>Sley Sword- 3.5" to 4" x 0.75" to 1" x 4' (Sajha /seasoned wood)</p> <p>Sley holding bar- 2.5" to 3" x 1" to 1.5" x 6.5' to 7'(Teak Wood)</p> <p>Sley middle cross bar – 2.5" to 3" x 1" to 1.5" x 56" to 60"(Sajha /seasoned wood)</p> <p>Reed Cap – 2.5" to 3" x 1.5" to 2" x 56" to 60"(Sajha /seasoned wood)</p> <p>Shuttle Boxes- 18" to 22"</p> <p>Steel Reed - 60<sup>S</sup> x 50" OR 76<sup>S</sup> x 50"</p> <p>Heald – Wire Heald of 27G x 9.5" (2000 Nos. ) OR Country Heald (3500 Nos.)</p> <p>Iron rod for Take-up motion- 16mm to 20 mm dia. x 2'</p>
1.08	60" REED SPACE FRAME LOOM WITH HOLLOW IRON FRAME ALONG WITH REED HEALD - (suitable for Jacquard mounting)-Complete set for operating Minimum 04 No. treadles	<p>Frame Details</p> <p>Vertical Poles- 3" to 3.5" x 1.5" to 2" x 6' to 6.5'</p> <p>Horizontal Cross Bars- 3" x 1" to 1.5" x 6'to 6.5'</p> <p>Side frame bottom cross bars- 3" x 1" to 1.5" x 5' to 6'</p> <p>Side frame top cross bars - 3" x 1" to 1.5" x 5' to 6'</p> <p>Side frame Middle cross bars- 3" x 1" to 1.5" x 6' to 7'</p> <p>Back Rest- 1.5" to 2" Hollow Round Pipe suitable for loom size</p> <p>Treadles- 1.5" to 2" x 1" to 1.25" x 4.5' to 5'</p> <p>Short lams- 1" to 1.5" x 1" to 1.25" x 4.5' to 5'</p> <p>Lever Stand- Suitable for loom size  Jack Levers- 1.5" to 2" x 0.75" to 1" x 1.5' to 2' (Sajha /seasoned wood)  Long Lams-1.5" to 2" x 1.5" to 2" x 5' to 5.5' (Sajha /seasoned wood)  <u>OR</u>  2.5" to 3" dia. reversing roller arrangement with ball bearing/bush (Sajha /seasoned wood)</p> <p>Treadle Brackets-1.5" to 2" x 1.5" to 2" x 5" x 8" (Sajha /seasoned wood)</p> <p>Weavers seat-9" to 10" x 1.5" to 2" x 6' to 7' (Sajha /seasoned wood)</p> <p>Heald Shafts-1.5" X 0.5 " to 0.75" X 5.5' to 6' (Sajha /seasoned</p>

		wood)
		Treadle Cage for 4 to 6 treadles (Sajha /seasoned wood)
		Warp Beam- 3" to 4" dia. Suitable length for loom size
		Cloth Beam – 4" dia. x suitable length for loom size
		Cloth Beam Bracket 3.5" to 4" X3.5" to 4" X 1'
		Warp Beam Bracket 3.5" to 4" X3.5" to 4" X 1'to 1.5'
		Sley Details
		Race Board- 2" to 2.5" x 1.5" to 2" x 60"(Teak Wood)
		Sley Sword- 3.5" to 4" x 0.75" to 1" x 4' (Sajha /seasoned wood)
		Sley holding bar- 2.5" to 3" x 1" to 1.5" x 6.5' x 7'(Teak Wood)
		Sley middle cross bar – 2.5" to 3" x 1" to 1.5" x 60" to 66"(Sajha /seasoned wood)
		Reed Cap – 2.5" to 3" x 1.5" to 2" x 60" to 66"(Sajha /seasoned wood)
		Shuttle Boxes- 18" to 22"
		Steel Reed - 60 <sup>S</sup> x 50" OR 76 <sup>S</sup> x 50"
		Heald – Wire Heald of 27G x 9.5" (2000 Nos. ) OR Country Heald (3500Nos.)
		Iron rod for Take-up motion- 16mm to 20 mm dia. x 2'
1.09	66" REED SPACE FRAME LOOM WITH HOLLOW IRON FRAME ALONG WITH REED HEALD- (suitable for Jacquard mounting)-Complete set for operating Minimum 04 No. treadles	66" REED SPACE FRAME LOOM WITH HOLLOW IRON FRAME – Sizes of different parts are as above of 60" Iron Frame Loom proportionately suitable according to 66" reed space Iron frame loom, along with set of Reed and Heald as above
1.10	72" REED SPACE FRAME LOOM WITH HOLLOW IRON FRAME ALONG WITH REED HEALD- (suitable for Jacquard mounting)-Complete set for operating Minimum 04 No. treadles	72" REED SPACE FRAME LOOM WITH HOLLOW IRON FRAME – Sizes of different parts are as above of 60" Iron Frame Loom proportionately suitable according to 72" reed space Iron frame loom, along with set of Reed and Heald (for Cotton weaving)
1.11	96" REED SPACE FRAME LOOM WITH HOLLOW IRON FRAME ALONG WITH REED HEALD- (suitable for Jacquard mounting)-Complete set for operating Minimum 04 No. treadles	<p>Frame Details</p> <p>Vertical Poles- 3" to 3.5" x 1.5" to 2" x6.5' to 7'</p> <p>Horizontal Cross Bars- 3" x 1" to 1.5" x 10'</p> <p>Side frame bottom cross bars- 3" x 1" to 1.5" x 5' to 5.5'</p> <p>Side frame top cross bars -3" x 1" to 1.5" x 5' to 5.5'</p> <p>Side frame Middle cross bars- 3" x 1" to 1.5" x 6' to 6.5'</p> <p>Back Rest- 3" x 1" to 1.5" x 10' <u>OR</u> 3" to 3.5" Hollow Round Pipe suitable for loom size</p> <p>Treadles- 2" x1.5" x 5.5' (Sajha /seasoned wood)</p>



		Short lams- 2" x1" x 6.5' (Sajha /seasoned wood)
		Long lams- 2" x1" x 7' (Sajha /seasoned wood)
		Lever Stand- 3" x 1" to 1.5 x 10.5'
		Jack Levers- 2" x 1" x 2.5' (Sajha /seasoned wood)
		Treadle Brackets-2" x 2" x 8" (Sajha /seasoned wood)
		Weavers seat-10" x 1.5" x 10' to 10.5' (Sajha /seasoned wood)
		Heald Shafts- 1.5" X 0.75" X 9' (Sajha /seasoned wood)
		Treadle Cage for 4 to 6 treadles (Sajha /seasoned wood)
		Warp beam- 4.5" to 5" dia. Suitable length for loom Size
		Cloth beam – 4.5" to 5" dia Suitable length for loom Size
		Cloth Beam Bracket 4" X 4" X 1'
		Warp Beam Bracket- 4" X 4" X 1.5'
		Lam stand- 2" X 1" X 2'
		Sley Details
		Race board- 3.5" x2.5" x 96"(Teak Wood)
		Sley swords- 4" x 1.5" x 5' (Sajha /seasoned wood)
		Sley holding Bar- 3" x 1.5" x 10.5' to 11' (Teak Wood)
		Sley Middle cross bar- 3" x1.5" x 96" to 102"(Sajha /seasoned wood)
		Reed Cap-3" x 2.5" x 96" to 102"(Sajha /seasoned wood)
		Shuttle box - 22" to 26" (Teak Wood)
		Steel Reed - 60 <sup>S</sup> x 96"
		Heald – Wire Heald of 27G x 13.5" (2000 Nos. )
		Iron rod for Take-up motion- 16mm to 20 mm dia. x 2'
1.12	102" REED SPACE FRAME LOOM WITH HOLLOW IRON FRAME ALONG WITH REED HEALD-	102" REED SPACE FRAME LOOM WITH HOLLOW IRON FRAME – Sizes of different parts are as above of 96" Iron Frame Loom proportionately suitable according to 102" reed space Iron frame loom, along with set of Reed and Heald (for Cotton weaving)
2.01	PIT LOOM ALONG WITH REED HEALD	56" REED SPACE WOODEN PIT LOOM:- Sizes of different parts are as above 56" reed space Wooden frame loom suitable for 56" reed space pit loom, including installation and pitting charges along with set of Reed and Heald (for Silk/Cotton weaving).
2.02	(suitable for Dobby mounting)- Complete set.	60" REED SPACE WOODEN PIT LOOM:- Sizes of different parts are as above 60" reed space wooden frame loom suitable for 60" reed space pit loom, including installation and pitting charges, along with Set of Reed and Heald (for Silk/Cotton weaving).
3.01	WARP BEAM	5" dia For 56" loom
3.02		5" dia for 60" loom
3.03		5" dia for 66" loom
3.04		5" dia for 72" loom
3.05		6" dia for 96" loom
3.06		6" dia for 102" loom
4.01	CLOTH BEAM	4" dia For 56" loom
4.02		4" dia for 60" loom
4.03		4" dia for 66" loom
4.04		4" dia for 72" loom
4.05		5" dia for 96" loom

4.06		5" dia for 102" loom
5.01	Warping machine	<p>Normal Warping Machine:-  Warping Drum- Warping Drum of 5 meter Circumference and 110" width having minimum 03 rings, each ring having 12 iron spokes of 1" x 1" square shaped. The bars over ring should be 2.5" to 3" x 2 to 2.5" wooden bar (Sal wood ) or 1.5" x 2" iron bar. The axle of 2.5" to 3" dia iron pipe with ball bearing on both sides for revolution. Belt and dead weight type tension device and suitable measuring arrangement. The warping drum should be capable for warping length 300 -350.</p> <p>Drum stand-3.5' to 4' height made of 3" x 3" iron C channel with robust construction, adequate for 300 – 350 meter warping.</p> <p>Beaming Stand – iron beaming stand adujustable for various sizes of warp beam and capable for beaming 300-350 meter of warp.</p> <p>Creel Stand - 150 bobbins capacity creel, heck, leasing device, for winding iron rod etc.A complete set.</p>
5.02		<p>Motorized warping machine: -  Sizes are as above with complete set of 0.25- 1.0 HP capacity motor with suitable gearing arrangement for warping and beaming with suitable drive for jerk free/smooth winding/convertng of theards into warp sheet and transfer of warp sheet to weavers beam.</p>
6.01	Pirn/bobbin Winding machine	Cycle wheel charka (Chain & Sprocket system) with mill spindle.
6.02		High speed motorized pirn/bobbin winding machine with 0.25-0.5 H.P. capacity electric motor & regulator for speed control.
6.03		High Speed motorized pirn cum bobbin/dubba winding machine (Capacity- Minimum 06 Spindle)
7.01	Take-up & let off motions on the existing handloom (incl. fitting charges)	5-wheel take – up motion with complete set including Spike roller pipe, Spikes roller and Let-off motion set including fitting charges (on the existing loom)
8.01	Dobby	24 lever Metal Dobby with full accessories compatible for Maheshwar handlooms (lattice chain of 50 lags and 200 pegs)
8.02		32 lever Metal Dobby with full accessories compatible for Maheshwar handlooms (lattice chain of 25 lags and 200 pegs)
9.01	Jacquard with complete set (punching plate box and puncher, Comber board frame-6.5 X 1.5 Sal wood, Comber board perforated net, Jacquard fitting frame- 3" X 2", neck cord, yellow cord for harness , Top and Bottom coupling (Nylon), Lingos 10" to 12" ,(2000 Nos), including installation	120 hooks
9.02		240 hooks
9.03		400 hooks
10.01	Shuttles	<p>wooden Shuttle Size- 12" to 13" For Silk Weaving</p> <p>wooden Shuttle Size- 12" to 13" for Cotton Weaving</p> <p>Standard size wooden Roller Shuttle for Cotton weaving</p>
11.	Pirn	Plastic pirn size 4", 5", 9" and in different sizes
12.01	Heald and Reed set	72 <sup>s</sup> X50" size Nylon Heald set with steel reed
12.02		76 <sup>s</sup> X 50" size Nylon Heald set with steel reed
12.03		48 <sup>s</sup> X 50" size Nylon heald Set with steel reed
12.04		48 <sup>s</sup> X 66" size Cotton/Wire heald Set with steel reed
12.05		64 <sup>s</sup> X 50" size Nylon heald set with steel reed

12.06	52 <sup>s</sup> X 60" size Cotton/wire heald set with steel reed
12.07	52 <sup>s</sup> X 66" size Cotton/wire heald set with steel reed
12.08	52 <sup>s</sup> X 96" size Cotton/wire heald set with steel reed
12.09	52 <sup>s</sup> X 102" size Cotton/wire heald set with steel reed
12.10	60 <sup>s</sup> X 50" size Cotton/wire heald set with steel reed
12.11	52 <sup>s</sup> X 60 size Cotton heald set
12.12	52 <sup>s</sup> X 66" size Cotton heald set
12.13	52 <sup>s</sup> X 94" size Cotton heald set
12.14	48 <sup>s</sup> X 60" pitch bound steel reed
12.15	48 <sup>s</sup> X 64" pitch bound steel reed
12.16	48 <sup>s</sup> X 66" pitch bound steel reed
12.17	48 <sup>s</sup> X 94" pitch bound steel reed
12.18	52 <sup>s</sup> X 54" pitch bound steel reed
12.19	52 <sup>s</sup> X 60" pitch bound steel reed
12.20	52 <sup>s</sup> X 66" pitch bound steel reed
12.21	52 <sup>s</sup> X 94" Pitch bound steel reed
12.22	56 <sup>s</sup> X 60" Pitch bound steel reed
12.23	56 <sup>s</sup> X 66" Pitch bound steel reed
12.24	56 <sup>s</sup> X 94" Pitch bound steel reed
12.25	60 <sup>s</sup> X 50" Pitch bound steel reed
12.26	60 <sup>s</sup> X 60" Pitch bound steel reed
12.27	60 <sup>s</sup> X 66" Pitch bound steel reed
12.28	60 <sup>s</sup> X 96" Pitch bound steel reed
12.29	60 <sup>s</sup> X 102" Pitch bound steel reed
12.30	64 <sup>s</sup> X 64"pitch bound steel reed
12.31	Loose harness healds (Pkt. of 100 Pcs.)
12.32	13" size wire healds (Pkt. of 1000 Pcs.)
12.33	9.5" size wire healds (Pkt. of 1000 Pcs.)

Sl.	Items
13.	a) Pneumatic jacquard system for a set of 2 handlooms b) Pneumatic jacquard system for a set of 4 handlooms
14	a) Motorized lifting device for jacquard (Single lever) b) Motorized lifting device for jacquard (Two levers) c) Motorized lifting device for jacquard (Three levers)
15.	Street Sizing kit (brush, sticks, spray gun etc.)
16.	240 hooks Electronic Jacquard with motorized lifting device 480 hooks Electronic Jacquard with motorized lifting device
17.	a) Korvai weaving Sley attachment (Aluminium) b) Korvai weaving Sley attachment (Stainless Steel)
18	a) Solar power operated winding machine (including solar power system) b) Solar power system for operating Jacquard lifting mechanism for manual jacquard c) Solar power system for operating electronic jacquard d) Solar power system for operating Warping machine e) Lighting Unit (including solar lighting unit with installation & commissioning of Solar Home Light System with 60 W Solar Panel- 1 No. 12V, 42 AH Exide battery -1 No. , Charger controller – 1 No., 7W LED DC bulb – 3 Nos., 9W LED one feet tube – 2 Nos., 12 V, 12W DC table Fan= 1 No., Mobile Charging Cable)
19	Jacquard Card computerized Punching Machine (including computer and other hardware, software and accessories)

**20. Specifications for Frame loom (Iron) of 52" RS with Heald & Reed for Dobby System Maheshwari Saree**

Sl.No.	Particulars	Size	Type of Material	Qty. Reqd. (in Nos.)
1	Vertical Poles	1.5"Slotted Angle X 12Gz X 7'	Iron	6
2	Horizontal Cross bars	1.5"Slotted Angle X 14Gz X 63"	Iron	5
3	Side frame Bottom cross bars	1.5"Slotted Angle X 14Gz X 60"	Iron	2
4	Side frame Top cross bars	1.5"Slotted Angle X 14Gz X 78"	Iron	2
5	Supporting Angle at edges	1.5"Slotted Angle X 14Gz X 21" 1.5"Slotted Angle X 14Gz X 29"	Iron Iron	20 02
6	Angle Frame for weaver's seat	1.5"Slotted Angle X 14Gz X 42"	Iron	02
7	Back Rest roller with bearing & brackets iron clamp on both side	1.5" dia X 66"	S.S. Pipe	02
8	Cloth Beam (cylindrical) with suitable size of studs on both ends with 5wheel take-up motion	4.5 " Dia. X 58" with 5"left side stud & 7" right side stud with bearing bracket at both ends.	S.S. Pipe	01
9	Weaver Seat	9" X 1½" X 6'	Good Quality Seasoned SAL Wood	01
10	Treadles	1" X 4" X 10"	Good Quality Seasoned SAL Wood	02
11	Treadle Bracket with suitable iron hinges (02 nos.)	1"X 4" X 14"	Good Quality Seasoned SAL Wood	01
12	Iron frame with bearing 14 Nos (cycle axel for hanging warp)	35mm Angular X 5mm X 65" with 19mmX 3mm X 10"welded IronPatti -15pcs	Steel Axel; Iron Frame-Complete Set	01
13	Heald & Metal steel reed Set, Shuttle, Lease Rods, Temple	88s x 51" Metal Steel reed and Full set of Heald Frame set with 10¼" wire healds(4500nos.) for 2 heald shafts, suitable for Maheshwari Saree weaving	Metal Steel reed Iron -Heald frame & wire	01
		Shuttle Wooden - (13" X1.5") – 2Pc;	Good Quality TEAK Seasoned Wood	02
		Lease Rods full width	Aluminium/ SS	02
		Temple Set – Suitable for Silk Cotton saree	Good Quality Seasoned	01

			Sal Wood	
14	<b>Sley : WITH TWIN BOX SHUTTLE SYSTEM</b>			
	Race Board	3" X 1.5" X 7'6 "	Good Quality TEAK Seasoned Wood	01
	Sley Swords	1" X 3 " X 4'	Good Quality Seasoned SAL Wood	02
	Sley Holding Bar (Top)	2.5" X 1.5" X 6'	Good Quality Seasoned SAL Wood	01
	Sley Middle Cross Bar	2.5" X 1" X 56"	Good Quality Seasoned SAL Wood	01
	Reed Cap	3" X 1.5" X 56"	Good Quality TEAK Seasoned Wood	01
	Sley Resting Patti	¾" X 3mm X 9"	Iron	02
	Twin box Shuttle system Box Side Frame with picker at RIGHT side (complete set)	¾" X 5" X 1.5" X 18" <b>(Check the dimension with existing loom)</b>	Good Quality TEAK Seasoned Wood	01
	Shuttle Box Side Frame at left side	¾" X 3" X 18"	Good Quality TEAK Seasoned Wood	02
	Shuttle Box End Frame	1" X 1.5" X 10"	Good Quality Seasoned SAL Wood	02
	End Frame Supporting Bars	1" X 1" X 18"	Good Quality Seasoned SAL Wood	02
15	Suitable Bolts & Nuts and small parts if any as per requirement			

**21. Specifications for Frame loom (Iron) of 52" RS with Heald & Reed for Jacquard System Chanderi Saree**

Sl. No.	Particulars	Size	Type of Material	Qty. Reqd. (in Nos.)
1	Vertical Poles	1.75" Angular X 5mm X 8'	Iron	6
2	Horizontal Cross bars	1.75" Angular X 5mm X 5'4"	Iron	6
3	Side frame Bottom cross bars	1.75" Angular X 5mm X 5'4"	Iron	2
4	Side frame Top cross bars	1.75" Angular X 5mm X 7'4"	Iron	2
5	Side frame Middle cross bars	1.75" Angular X 5mm X 7'4"	Iron	2
6	Back Rest with iron clamp on both side	1½" dia X 5'5"	S. S. Pipe	2
7	Cross Bar rod for Supporting	1½" dia X 5'5"	S. S. Pipe	1

	Healds (with iron clamp on both side)			
8	Cross angle for joint support (Iron Patti)	½" X 5MM X 8"	Iron	30
9	Heald Dead Weight rod	1.75" Angular X 5 mm X 52"	Iron	2
10	Weaver Seat	10" X 1½" X 6'	Good Quality Seasoned SAL Wood	1
11	Treadles	3" X 1" X 18"	Good Quality Seasoned SAL Wood	2
12	Treadle Bracket with Treadle Rods & wooden separator	1.75" Angular X 5 mm X 3' 10 mm Dia X 18"	Iron Solid Iron rod	2 1
13	Naka-Pagiya Frame (Complete)	1.75" Angular X 5 mm X 3' 1.75" Angular X 5 mm X 18"	Iron Iron	4 12
14	Jacquard Stand (Top)	1.75" Angular X 6 mm X 3'	Iron	2
15	Warp Beam with suitable size of studs on both ends with Ratchet wheel & Paul supported by 2 iron clamps	4" Dia. X 5'	MS Iron	1
16	Cloth Beam with Notch cut on surface for holding fabric, with suitable size of studs on both ends supported by iron 2 clamps	4" Dia. X 5'	MS Iron	1
17	5 wheel take-up motion	5 wheels Standard size	MS Iron	1 Set
18	Heald & steel reed Set, Shuttle, Lease Rods, Temple	Nylon Thread Heald Shaft (Rach) with 104 <sup>s</sup> Metal steel Reed complete set (2500nos X2) as required	Nylon	1
		Shuttle (12" X 1.5")	Good Quality TEAK Seasoned Wood	2
		Lease Rods full width	Aluminium/ SS	2
		Temple Set – Suitable for Silk Cotton saree	Good Quality Seasoned Sal Wood	1
19	<b>Sley :</b>			
	Race Board	3" X 1.5" X 7'2"	Good Quality TEAK Seasoned Wood	1
	Sley Swords	3" X 1.5" X 4'4"	Good Quality Seasoned SAL Wood	2
	Sley Holding Bar	3" X 1.5" X 6'6"	Good Quality Seasoned SAL Wood	1
	Sley Middle Cross Bar	3" X 1 ½" X 56"	Good Quality Seasoned SAL Wood	1
	Sley Rest	1.75" Angular X 5 mm X 3'	Iron	2
	Reed Cap	3" X 1.5" X 56"	Good Quality TEAK Seasoned Wood	1

	Shuttle Box Side Frame with picker	3" X 1" X 17"	Good Quality Seasoned SAL Wood	4
	Shuttle Box End Frame	3" X 1" X 7"	Good Quality Seasoned SAL Wood	2
	End Frame Supporting Bars	1" X 1" X 17"	Good Quality Seasoned SAL Wood	2
20	Suitable Bolts & Nuts and small parts if any as per requirement			

## **22.Specifications for Frame loom (Iron) of 100" RS with Heald & Reed with 4 Treadles**

Sl No.	Particulars	Size	Type of Material	Qty. Req d. (in Nos .)
1	Vertical Poles	2" Angular X 6 mm X 6'	Iron	4
2	Horizontal Cross bars	2" Angular X 6 mm X 9'10"	Iron	4
3	Side frame Bottom cross bars	2" Angular X 6 mm X 4'7"	Iron	2
4	Side frame Top cross bars	2" Angular X 6 mm X 4'7"	Iron	2
5	Side frame Middle cross bars	2" Angular X 6 mm X 6'8"	Iron	2
6	Back Rest with iron clamp on both side	1½" dia X 9'11" (16/18mm gauge)	S. S. Pipe	1
7	Front Rest with iron clamp on both side	1½" dia X 9'11" (16/18mm gauge)	S. S. Pipe	1
8	Cross angle for joint support (Iron Patti)	1" X 6MM X 14"	Iron	20
9	Weaver Seat	10" X 1½" X 10'	Good Quality Seasoned Sal Wood	1
10	Lever Stand	2" X 1" X 10'	Good Quality Seasoned Sal Wood	2
11	Lever	2" X ¾" X 30"	Good Quality Seasoned Sal Wood	8
12	Treadles	2 ½" X 2" X 36"	Good Quality Seasoned Sal Wood	4
13	Treadle Bracket with wooden gutka(4nos)	2" X 3" X 10"	Good Quality Seasoned Sal Wood	2
14	Treadle Rods	10 mm Dia X 18"	Solid Iron rod	3
15	Lamb Rod	1½" X ¾" X 5'	Good Quality Seasoned Sal Wood	4
16	Lamb Stand with 10 mm X 18" solid iron rod	3" X 1½" X 7"	Good Quality Seasoned Sal Wood	2
17	Cloth Beam with suitable arrangement of	3" Dia. X 9'2"	M S Iron	1

	holding of fabric, with suitable size of studs on both ends			
18	5 wheel take-up motion attached to Cloth beam	5 wheels Standard size	Cast Iron	1 Set
19	Warp Beam with suitable length of studs	4" Dia. X 9'	M S Iron	1
20	Warp Beam Bracket with clamp on both side	2 ½" X 2" X 12"	Good Quality Seasoned Sal Wood	2
21	Heald frame & steel reed Set, Shuttle, Lease Rods, Cotton Rope Temple	Complete set of 4 heald frames (size 10¼" X 4500 nos wire healds) for complete width of loom 44 <sup>S</sup> with pitch bound steel Reed	Steel Heald set	1
		Shuttle (16")	Good Quality Seasoned TEAK Wood	1
		Lease Rods for full width	Aluminium/ SS	2
		Cotton Rope (Tie-up) (Pack of 1 Kg)	Cotton	1
		Temple set for Bedsheet purpose		1
22	<b><u>Sley :</u></b>			
	Race Board	4" X 1½" X 12'4"	Good Quality Seasoned TEAK Wood	1
	Sley Swords	4" X 1½" X 4'	Good Quality Seasoned Sal Wood	2
	Sley Holding Bar	4" X 1½" X 10'6"	Good Quality Seasoned Sal Wood	1
	Sley Middle Cross Bar	3" X 1½" X 9'	Good Quality Seasoned Sal Wood	1
	Reed Cap	3" X 1½" X 9'	Good Quality Seasoned Sal Wood	1
	Sley Rest Iron Patti with suitable holes	3mm X ¾" X 12"	Iron	2
	Shuttle Box Side Frame with 4 pcs of Iron Patti 1mm X 22"	3½" X 1" X 24"	Good Quality Seasoned Sal Wood	4
	Shuttle Box End Frame	4" X 1" X 9"	Good Quality Seasoned Sal Wood	2
	End Frame Supporting Bars	1" X 1" X 24"	Good Quality Seasoned Sal Wood	2
23	Wooden Picker fitted with Nylon cap	As per shuttle box requirement	Good Quality Seasoned Sal Wood	2
24	Suitable Bolts & Nuts and small parts if any as per requirement			



### 23.Specifications for Frame loom (Iron) of 72" RS with Heald & Reed with 4 Treadles

Sl.No.	Particulars	Size	Type of Material	Qty. Req d. (in Nos. )
1	Vertical Poles	2" Angular X 6 mm X 6'	Iron	4
2	Horizontal Cross bars	2" Angular X 6 mm X 7'	Iron	4
3	Side frame Bottom cross bars	2" Angular X 6 mm X 4'8"	Iron	2
4	Side frame Top cross bars	2" Angular X 6 mm X 4'8"	Iron	2
5	Side frame Middle cross bars	2" Angular X 6 mm X 7'	Iron	2
6	Back Rest with iron clamp on both side	1½" dia X 7'3" (16/18mm gauge)	S. S. Pipe	1
7	Front Rest with iron clamp on both side	1½" dia X 7'3" (16/18mm gauge)	S. S. Pipe	1
8	Cross angle for joint support (Iron Patti)	1" X 6MM X 14"	Iron	20
9	Weaver Seat	10" X 1½" X 8½"	Good Quality Seasoned Sal Wood	1
10	Lever Stand	2½" X 1½" X 8' 2½" X 1½" X 9"	Good Quality Seasoned Sal Wood	2 2
11	Lever	1½" X ½" X 24"	Good Quality Seasoned Sal Wood	8
12	Treadles	2 ½ " X 2" X 36"	Good Quality Seasoned Sal Wood	4
13	Treadle Bracket with wooden gutka(4nos)	2" X 3" X 10"	Good Quality Seasoned Sal Wood	2
14	Treadle Rods	10 mm Dia X 18"	Solid Iron rod	3
15	Lamb Rod	1½" X ¾" X 5'	Good Quality Seasoned Sal Wood	4
16	Lamb Stand with 10 mm X 18" solid iron rod	3" X 1½" X 7"	Good Quality Seasoned Sal Wood	2
17	Cloth Beam with suitable arrangement of holding of fabric, with suitable size of studs on both ends	3" Dia. X 6'8" (80")	M S Iron	1
18	5 wheel take-up motion attached to Cloth beam	5 wheels Standard size	Cast Iron	1 Set
19	Warp Beam with suitable length of studs	4" Dia. X 6'8" (80")	M S Iron	1
20	Warp Beam Bracket with clamps on both side	2 ½" X 2" X 12"	Good Quality Seasoned Sal Wood	2
21	Heald frame & steel reed Set,	Complete set of 4 heald frames (size 10¼" X 4000nos wire)	Steel Heald set	1

	Shuttle, Lease Rods, Cotton Rope Temple	healds) for complete width of loom 44 <sup>S</sup> With pitch bound steel Reed		
		Shuttle (16")	Good Quality Seasoned TEAK Wood	1
		Lease Rods for full width	Aluminium/ SS	2
		Cotton Rope (Tie-up) (Pack of 1 Kg)	Cotton	1
		Temple set for Bedsheet purpose	--	1
22	<b>Sley :</b>			
	Race Board	4" X 1½" X 9'6"	Good Quality Seasoned TEAK Wood	1
	Sley Swords	4" X 1½" X 4'	Good Quality Seasoned Sal Wood	2
	Sley Holding Bar	4" X 1½" X 8'	Good Quality Seasoned Sal Wood	1
	Sley Middle Cross Bar	3" X 1½" X 6'8"	Good Quality Seasoned Sal Wood	1
	Reed Cap	3" X 1.5" X 6'8"	Good Quality Seasoned Sal Wood	1
	Sley Rest Iron Patti with suitable holes	3mm X ¾" X 12"	Iron	2
	Shuttle Box Side Frame with 4 pcs of Iron Patti 1mmX 19"	3½" X ¾" X 20"	Good Quality Seasoned Sal Wood	4
	Shuttle Box End Frame	3½" X 1" X 9"	Good Quality Seasoned Sal Wood	2
	End Frame Supporting Bars	1" X 1" X 21"	Good Quality Seasoned Sal Wood	2
23	Wooden Picker fitted with Nylon Picker cap	As per shuttle box requirement	Good Quality Seasoned Sal Wood	2
24	Suitable Bolts & Nuts and small parts if any as per requirement			

#### **24.Specifications for Frame loom (Iron) of 60" RS with Heald & Reed with 4 Treadles**

Sl. No.	Particulars	Size	Type of Material	Qty. Reqd . (in Nos.)
1	Vertical Poles	2" Angular X 6 mm X 6'	Iron	4
2	Horizontal Cross bars	2" Angular X 6 mm X 6'	Iron	4
3	Side frame Bottom cross bars	2" Angular X 6 mm X 4'6"	Iron	2
4	Side frame Top cross bars	2" Angular X 6 mm X 4'6"	Iron	2
5	Side frame Middle cross bars	2" Angular X 6 mm X 7'	Iron	2
6	Back Rest with iron clamp on both side	1½" dia X 6' (16/18mm gauge)	S. S. Pipe	1
7	Front Rest with iron clamp on both side	1½" dia X 6' (16/18mm gauge)	S. S. Pipe	1

8	Cross angle for joint support (Iron Patti)	1" X 6MM X 12"	Iron	20
9	Weaver Seat	10" X 1½" X 7'	Good Quality Seasoned Sal Wood	1
10	Lever Stand	2½" X 1½" X 7' 2½" X 1½" X 9"	Good Quality Seasoned Sal Wood	2 2
11	Lever	1½" X ½" X 24"	Good Quality Seasoned Sal Wood	8
12	Treadles	2" X 1½" X 36"	Good Quality Seasoned Sal Wood	4
13	Treadle Bracket with wooden gutka(4nos)	2" X 3" X 10"	Good Quality Seasoned Sal Wood	2
14	Treadle Rods	10 mm Dia X 18"	Solid Iron rod	3
15	Lamb Rod	1½" X ¾" X 4'	Good Quality Seasoned Sal Wood	4
16	Lamb Stand with 10 mm X 18" solid iron rod	3" X 1½" X 7"	Good Quality Seasoned Sal Wood	2
17	Cloth Beam with suitable arrangement of holding of fabric, with suitable size of studs on both ends	3" Dia. X 5'10"	M S Iron	1
18	5 wheel take-up motion attached to Cloth beam	5 wheels Standard size	Cast Iron	1 Set
19	Warp Beam with suitable length of studs	4" Dia. X 5'10"	M S Iron	1
20	Warp Beam Bracket with clamps on both side	2 ½" X 2" X 9"	Good Quality Seasoned Sal Wood	2
21	Heald frame & steel reed Set, Shuttle, Lease Rods, Cotton Rope Temple	Complete set of 4 heald frames (size 10¼" X 2700nos wire healds) for complete width of loom 34 <sup>S</sup> /38 <sup>S</sup> /44 <sup>S</sup> With pitch bound steel Reed	Steel Heald set	1
		Shuttle (16")	Good Quality Seasoned TEAK Wood	1
		Lease Rods for full width	Aluminum/ SS	2
		Cotton Rope (Tie-up) (Pack of 1 Kg)	Cotton	1
		Temple set for Bedsheet purpose	--	1
22	<b>Sley :</b>			
	Race Board	3" X 1½" X 7'6"	Good Quality Seasoned TEAK Wood	1
	Sley Swords	4" X 1½" X 3'6"	Good Quality Seasoned Sal Wood	2
	Sley Holding Bar	3½" X 1½" X 6'8"	Good Quality Seasoned Sal	1

			Wood	
	Sley Middle Cross Bar	3" X 1½" X 5'	Good Quality Seasoned Sal Wood	1
	Reed Cap	2½" X 1½" X 5"	Good Quality Seasoned Sal Wood	1
	Sley Rest Iron Patti with suitable holes	3mm X ¾" X 10"	Iron	2
	Shuttle Box Side Frame with 4 pcs of Iron Patti 1mm X 19"	3½" X 1" X 20"	Good Quality Seasoned Sal Wood	4
	Shuttle Box End Frame	3" X 1" X 7"	Good Quality Seasoned Sal Wood	2
	End Frame Supporting Bars	1" X 1" X 21"	Good Quality Seasoned Sal Wood	2
23	Wooden Picker fitted with Nylon Picker cap	As per shuttle box requirement	Good Quality Seasoned Sal Wood	2
24	Suitable Bolts & Nuts and small parts if any as per requirement			

*Note :- All dimensions are as per the running looms in the area; before supply/ bulk manufacturing of looms, the supplier shall verify the dimensions with the local committee/beneficiaries.*

**BID SECURITY DECLARATION FROM BIDDERS IN LIEU OF EMD**

(To be submitted in Agency's own letter head)

**Ref: TenderNoticeNo.: WSCI/TECH/eproc/2024-25/1**

Dated\_

I/We, the authorized signatory of M/s..... participating in the subject tender No. **WSCI/TECH/eproc/2024-25/1** for the items(s) mentioned at Annexure-I do hereby declare:

- i) That I/We availed the benefit of waiver of EMD while submitting our offer against the subject Tender and no EMD being deposited for the said tender.
- ii) That in the relevant withdraw/modify our bid during the period of validity OR I/We fail to execute formal contract agreement within the given timeline OR I/We fail to submit a performance security within the given timeline OR I/We commit any breach of Tender Conditions/Contract which attracts inner action of forfeiture of EMD and I/We will be suspended from being eligible for bidding/award of full feature contract(s) of Weavers Service Centre, Indore for a period of one year from the date of committing such breach.

(Signature of Authorized Signatory of the Bidder with Official Seal)

Name of the Authorized Signatory.....

Name of the Agency.....

**DETAILS OF THE SUPPLIER**

(To be submitted in Agency's own letter head)

**Ref:Tender Notice No.: WSCI/TECH/eproc/2024-25/1**

1.	Name of Entity		
2.	Address		
3.	Name of Proprietor		
4.	Tele.No.	Office:	
		Residence:	
		Mobile:	
		Fax No.:	
		e-mail :	
5.	Year of Establishment of Agency/Organization		
6.	No. of years of experience in manufacturing items		
7.	GST Registration No. and Date of Registration.		
8.	PAN Card No. and Date of Issue		

**9. Maximum capacity for supplying Handloom Accessories in a month**

Name of the item (As per Annexure-I)	Monthly Capacity (in number)

10. Number of personnel employed	Technical	
	Non-technical	
11. Annual Sales Turnover of last three years supported by audited Balance Sheet (Rs. in lakh)	Year	Sales Turnover (Rs in Lakh)

	2020-21	
	2021-22	
	2022-23	
12.Profit of last three years supported by Audited Profit and Loss Account (Rs. in lakh)	Year	Profit (Rs. In lakh)
	2020-21	
	2021-22	
	2022-23	
13.Complete address of manufacturing facility/facilities		
14.Complete address of the retail shop, if any		
15. Any other specific information you would like to furnish		

This is to certify that I/we before signing this bid have carefully read the contents of the Bid Document and fully understood all the terms and conditions contained therein and undertake myself/ourselves to abide by the same.

I /We hereby declare that the information /facts provided is true, correct and to best of my/our knowledge and belief.

*Note: Please strikeout Not Applicable (N/A) against the columns, which does not relate, while filling up the above formats.*

Date:

Place: Signature of Bidder

Name of Bidder

Name of the firm/agency Seal of Bidder

**RFP ACCEPTANCE LETTER**

(To be submitted in Agency's own letter head)

To,  
The Head of Office,  
Weavers' Service Centre,  
O/o Development Commissioner for Handlooms,  
Ministry of Textiles, Government of India,  
F/4, Industrial Estate, Pologround,  
Indore- 452015, Madhya Pradesh

**Sub: Acceptance of Terms & Conditions of RFP for supply of items.**

**Ref: Tender Notice No.: WSCI/TECH/eproc/2024-25/1**

**Name of RFP/Work: - Empanelment of Supplier for Supply of items mentioned at Annexure-I to the Beneficiaries of various Handloom Pockets of Madhya Pradesh State in the Outside Cluster Development Programme (CDP) scheme, a component under National Handloom Development Programme (NHDP).**

Dear Sir,

1. I / We have downloaded / obtained the tender document(s) for the above mentioned 'RFP/Work' from the web site(s) namely [www.eprocure.gov.in/eprocure/app](http://www.eprocure.gov.in/eprocure/app) as per your tender notice, given in the above-mentioned website(s).
2. I / We hereby certify that I / we have read the entire terms and conditions of the tender documents from **Page No. 28 to 62**(including all documents like annexure(s) etc.), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.
3. The corrigendum(s) issued from time to time by your department/ organizations too have also been taken into consideration, while submitting this acceptance letter.
4. I / We hereby unconditionally accept the tender conditions of above-mentioned tender document(s) / corrigendum(s) in its totality / entirety.
5. I / We do hereby declare that our Firm/Agency has not been blacklisted/ debarred by any Govt. Department/Public sector undertaking.
6. I / We certify that all information furnished by our Firm/Agency is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/ organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.

Yours faithfully,

(Signature of the Bidder with Official Seal)



**FORMAT FOR POWER OF ATTORNEY FOR THE AUTHORISED SIGNATORY**

(To be submitted in Agency's own letter head)

To,  
The Head of Office,  
Weavers' Service Centre,  
O/o Development Commissioner for Handlooms,  
Ministry of Textiles, Government of India,  
F/4, Industrial Estate, Pologround,  
Indore- 452015, Madhya Pradesh

Dear Sir,

With reference to **Tender Notice No.: WSCI/TECH/eproc/2024-25/1**

We hereby authorize the following person as authorized signatory to carry out necessary bid formalities with the Weavers' Service Centre with reference to this RFP and authorize to sign the bid documents and contract/ agreement with the Weavers' Service Centre, Indore.

Name of the Person:

Designation:

Specimen Signature1.

Specimen Signature2.

The above Signatures are made in my presence and are duly certified by me

Yours faithfully

Place:

Date:

Name:

Seal of the Agency

(Signature of the Proprietor)

Designation:

**UNDERTAKING ON BLACKLISTING**

(To be submitted in Agency's own letter head)

**Ref: Tender Notice No.: WSCI/TECH/eproc/2024-25/1**

It is certified that my firm/agency/company/entity has never been black listed by any of the Departments/Autonomous Institutions/Universities/Public Sector Undertaking of the Government of India or State Government and no criminal case is pending against the said firm/agency as on date.

Signature of the Bidder:

Place: Name of the Authorized Signatory:

Date: Name of the Firm/agency:

Seal of the Firm/Agency:

**MANDATE FORM**

Electronic Clearing Service (Credit Clearing)/Real Time Gross Settlement (RTGS) Facility for receiving payments.

A. Details of Accounts Holder: -

Name of Account Holder	
Complete Contact Address	
Telephone Number/Fax/E-mail	

B. Bank Account Details: -

Bank Name	
Branch Name with Complete Address, Telephone No. and E-mail	
Whether the Branch is Computerized?	
Whether the Branch is RTGS enabled? If yes then what is the Branch's IFSC Code	
Is the Branch also NEFT enabled?	
Type of Bank Account (SB/Current/Cash Credit)	
Complete Bank Account No. (Latest)	
MICR Code of Bank	

Date of effect: -

I hereby declare that the particulars given above are correct and complete. If the transaction is delayed or not effected at all for reasons of incomplete or incorrect information, I would not hold the use Institution responsible. I have read the option invitation letter and agree to discharge responsibility expected of me as a participant under the Scheme.

Signature of Customer

Date

Certified that the particulars furnished above are correct as per our records.

(Bank's Stamp)

Date: -

Signature of the Authorized Signatory of Bank

1. Please attach a photocopy of cheque along with the verification obtained from the bank.
2. In case your Bank Branch is presently not "RTGS enabled", then upon its up gradation to "RTGS Enabled" branch, please submit the information again in the above proforma to the Department at earliest.